



Advance Nova Pocket Filters

Advance

Advanced series pocket filters are designed for low pressure drop needed applications. With high efficiency of ePM1 60% it reaches up to A energy class efficiency.

- High to medium energy efficiency
- Very good dust holding capacity
- Environmentally friendly pocket filter product
- Low life cycle carbon footprint
- Suitable for Nordic weather (snow and high humidity) conditions

vado

Applications	High efficiency and low pressure drop HVAC and industrial applications
Filter media	Synthetic multilayer material
Filter frame	Reinforced frame made of recycled plastic
Filtering efficiency	ePM1 80% and ePM1 60% by ISO 16890
Waste disposal	Waste-to-Energy 100% incinerable
Operating temperature	Max 70 °C
Humidity resistance	Resistance to 100% relative humidity

Product name	Filter class	Energy kW/a	Energy class	Width	Height	Length	Bags	Airflow m3/s
PF AdvanceNova ePM1 80% 592 592 650 10	ISO ePM1 80%	1347	B	592	592	650	10	0,944
PF AdvanceNova ePM1 80% 892 287 650 15	ISO ePM1 80%		B	892	287	650	15	0,690
PF AdvanceNova ePM1 80% 592 892 650 10	ISO ePM1 80%		B	592	892	650	10	1,422
PF AdvanceNova ePM1 80% 592 490 650 10	ISO ePM1 80%		B	592	490	650	10	0,781
PF AdvanceNova ePM1 80% 592 287 650 10	ISO ePM1 80%		B	592	287	650	10	0,458
PF AdvanceNova ePM1 80% 490 592 650 8	ISO ePM1 80%		B	490	592	650	8	0,781
PF AdvanceNova ePM1 80% 490 490 650 8	ISO ePM1 80%		B	490	490	650	8	0,647
PF AdvanceNova ePM1 80% 287 892 650 5	ISO ePM1 80%		B	287	892	650	5	0,690
PF AdvanceNova ePM1 80% 287 592 650 5	ISO ePM1 80%		B	287	592	650	5	0,458
PF AdvanceNova ePM1 80% 287 490 650 5	ISO ePM1 80%			287	490	650	5	0,379
PF AdvanceNova ePM1 80% 287 287 650 5	ISO ePM1 80%		B	287	287	650	5	0,222
PF AdvanceNova ePM1 80% 592 592 525 10	ISO ePM1 80%	1646	C	592	592	525	10	0,944
PF AdvanceNova ePM1 80% 892 287 525 15	ISO ePM1 80%		C	892	287	525	15	0,690
PF AdvanceNova ePM1 80% 592 892 525 10	ISO ePM1 80%		C	592	892	525	10	1,422
PF AdvanceNova ePM1 80% 592 490 525 10	ISO ePM1 80%		C	592	490	525	10	0,781
PF AdvanceNova ePM1 80% 592 287 525 10	ISO ePM1 80%		C	592	287	525	10	0,458
PF AdvanceNova ePM1 80% 490 592 525 8	ISO ePM1 80%		C	490	592	525	8	0,781
PF AdvanceNova ePM1 80% 490 490 525 8	ISO ePM1 80%		C	490	490	525	8	0,647
PF AdvanceNova ePM1 80% 287 892 525 5	ISO ePM1 80%		C	287	892	525	5	0,690
PF AdvanceNova ePM1 80% 287 592 525 5	ISO ePM1 80%		C	287	592	525	5	0,458
PF AdvanceNova ePM1 80% 287 490 525 5	ISO ePM1 80%			287	490	525	5	0,379
PF AdvanceNova ePM1 80% 287 287 525 5	ISO ePM1 80%		C	287	287	525	5	0,222

Product name	Filter class	Energy kW/a	Energy class	Width	Height	Length	Bags	Airflow m3/s
PF AdvanceNova ePM1 80% 592 592 650 8	ISO ePM1 80%	1388	B	592	592	650	8	0,944
PF AdvanceNova ePM1 80% 892 287 650 12	ISO ePM1 80%		B	892	287	650	12	0,690
PF AdvanceNova ePM1 80% 592 892 650 8	ISO ePM1 80%		B	592	892	650	8	1,422
PF AdvanceNova ePM1 80% 592 490 650 8	ISO ePM1 80%		B	592	490	650	8	0,781
PF AdvanceNova ePM1 80% 592 287 650 8	ISO ePM1 80%		B	592	287	650	8	0,458
PF AdvanceNova ePM1 80% 490 592 650 7	ISO ePM1 80%			490	592	650	7	0,781
PF AdvanceNova ePM1 80% 490 490 650 7	ISO ePM1 80%			490	490	650	7	0,647
PF AdvanceNova ePM1 80% 287 892 650 4	ISO ePM1 80%		B	287	892	650	4	0,690
PF AdvanceNova ePM1 80% 287 592 650 4	ISO ePM1 80%		B	287	592	650	4	0,458
PF AdvanceNova ePM1 80% 287 490 650 4	ISO ePM1 80%			287	490	650	4	0,379
PF AdvanceNova ePM1 80% 287 287 650 4	ISO ePM1 80%		B	287	287	650	4	0,222
PF AdvanceNova ePM1 80% 592 592 525 8	ISO ePM1 80%	1983	D	592	592	525	8	0,944
PF AdvanceNova ePM1 80% 892 287 525 12	ISO ePM1 80%		D	892	287	525	12	0,690
PF AdvanceNova ePM1 80% 592 892 525 8	ISO ePM1 80%		D	592	892	525	8	1,422
PF AdvanceNova ePM1 80% 592 490 525 8	ISO ePM1 80%		D	592	490	525	8	0,781
PF AdvanceNova ePM1 80% 592 287 525 8	ISO ePM1 80%		D	592	287	525	8	0,458
PF AdvanceNova ePM1 80% 490 592 525 7	ISO ePM1 80%			490	592	525	7	0,781
PF AdvanceNova ePM1 80% 490 490 525 7	ISO ePM1 80%			490	490	525	7	0,647
PF AdvanceNova ePM1 80% 287 892 525 4	ISO ePM1 80%		D	287	892	525	4	0,690
PF AdvanceNova ePM1 80% 287 592 525 4	ISO ePM1 80%		D	287	592	525	4	0,458
PF AdvanceNova ePM1 80% 287 490 525 4	ISO ePM1 80%			287	490	525	4	0,379
PF AdvanceNova ePM1 80% 287 287 525 4	ISO ePM1 80%		D	287	287	525	4	0,222
PF AdvanceNova ePM10 60% 592 592 550 8	ISO ePM10 65%	696	B	592	592	550	8	0,944
PF AdvanceNova ePM10 60% 892 287 525 12	ISO ePM10 65%		B	892	287	550	12	0,690
PF AdvanceNova ePM10 60% 592 892 525 8	ISO ePM10 65%		B	592	892	550	8	1,422
PF AdvanceNova ePM10 60% 592 490 525 8	ISO ePM10 65%		B	592	490	550	8	0,781
PF AdvanceNova ePM10 60% 592 287 525 8	ISO ePM10 65%		B	592	287	550	8	0,458
PF AdvanceNova ePM10 60% 490 592 525 7	ISO ePM10 65%			490	592	550	7	0,781
PF AdvanceNova ePM10 60% 490 490 525 7	ISO ePM10 65%			490	490	550	7	0,647

Product name	Filter class	Energy kW/a	Energy class	Width	Height	Length	Bags	Airflow m3/s
PF AdvanceNova ePM10 60% 287 892 525 4	ISO ePM10 65%		B	287	892	550	4	0,690
PF AdvanceNova ePM10 60% 287 592 525 4	ISO ePM10 65%		B	287	592	550	4	0,458
PF AdvanceNova ePM10 60% 287 490 525 4	ISO ePM10 65%			287	490	550	4	0,379
PF AdvanceNova ePM10 60% 287 287 525 4	ISO ePM10 65%		B	287	287	550	4	0,222
PF AdvanceNova ePM1 60% 592 592 650 10	ISO ePM1 60%	916	A	592	592	650	10	0,944
PF AdvanceNova ePM1 60% 892 287 650 15	ISO ePM1 60%		A	892	287	650	15	0,690
PF AdvanceNova ePM1 60% 592 892 650 10	ISO ePM1 60%		A	592	892	650	10	1,422
PF AdvanceNova ePM1 60% 592 490 650 10	ISO ePM1 60%		A	592	490	650	10	0,781
PF AdvanceNova ePM1 60% 592 287 650 10	ISO ePM1 60%		A	592	287	650	10	0,458
PF AdvanceNova ePM1 60% 490 592 650 8	ISO ePM1 60%		A	490	592	650	8	0,781
PF AdvanceNova ePM1 60% 490 490 650 8	ISO ePM1 60%		A	490	490	650	8	0,647
PF AdvanceNova ePM1 60% 287 892 650 5	ISO ePM1 60%		A	287	892	650	5	0,690
PF AdvanceNova ePM1 60% 287 592 650 5	ISO ePM1 60%		A	287	592	650	5	0,458
PF AdvanceNova ePM1 60% 287 490 650 5	ISO ePM1 60%			287	490	650	5	0,379
PF AdvanceNova ePM1 60% 287 287 650 5	ISO ePM1 60%		A	287	287	650	5	0,222
PF AdvanceNova ePM1 60% 592 592 525 10	ISO ePM1 60%	1118	C	592	592	525	10	0,944
PF AdvanceNova ePM1 60% 892 287 525 15	ISO ePM1 60%		C	892	287	525	15	0,690
PF AdvanceNova ePM1 60% 592 892 525 10	ISO ePM1 60%		C	592	892	525	10	1,422
PF AdvanceNova ePM1 60% 592 490 525 10	ISO ePM1 60%		C	592	490	525	10	0,781
PF AdvanceNova ePM1 60% 592 287 525 10	ISO ePM1 60%		C	592	287	525	10	0,458
PF AdvanceNova ePM1 60% 490 592 525 8	ISO ePM1 60%		C	490	592	525	8	0,781
PF AdvanceNova ePM1 60% 490 490 525 8	ISO ePM1 60%		C	490	490	525	8	0,647
PF AdvanceNova ePM1 60% 287 892 525 5	ISO ePM1 60%		C	287	892	525	5	0,690
PF AdvanceNova ePM1 60% 287 592 525 5	ISO ePM1 60%		C	287	592	525	5	0,458
PF AdvanceNova ePM1 60% 287 490 525 5	ISO ePM1 60%			287	490	525	5	0,379
PF AdvanceNova ePM1 60% 287 287 525 5	ISO ePM1 60%		C	287	287	525	5	0,222
PF AdvanceNova ePM1 60% 592 592 650 8	ISO ePM1 60%	1058	B	592	592	650	8	0,944
PF AdvanceNova ePM1 60% 892 287 650 12	ISO ePM1 60%		B	892	287	650	12	0,690
PF AdvanceNova ePM1 60% 592 892 650 8	ISO ePM1 60%		B	592	892	650	8	1,422

Product name	Filter class	Energy kW/a	Energy class	Width	Height	Length	Bags	Airflow m3/s
PF AdvanceNova ePM1 60% 592 490 650 8	ISO ePM1 60%		B	592	490	650	8	0,781
PF AdvanceNova ePM1 60% 592 287 650 8	ISO ePM1 60%		B	592	287	650	8	0,458
PF AdvanceNova ePM1 60% 490 592 650 7	ISO ePM1 60%			490	592	650	7	0,781
PF AdvanceNova ePM1 60% 490 490 650 7	ISO ePM1 60%			490	490	650	7	0,647
PF AdvanceNova ePM1 60% 287 892 650 4	ISO ePM1 60%		B	287	892	650	4	0,690
PF AdvanceNova ePM1 60% 287 592 650 4	ISO ePM1 60%		B	287	592	650	4	0,458
PF AdvanceNova ePM1 60% 287 490 650 4	ISO ePM1 60%			287	490	650	4	0,379
PF AdvanceNova ePM1 60% 287 287 650 4	ISO ePM1 60%		B	287	287	650	4	0,222
PF AdvanceNova ePM1 60% 592 592 525 8	ISO ePM1 60%	1421	C	592	592	525	8	0,944
PF AdvanceNova ePM1 60% 892 287 525 12	ISO ePM1 60%		C	892	287	525	12	0,690
PF AdvanceNova ePM1 60% 592 892 525 8	ISO ePM1 60%		C	592	892	525	8	1,422
PF AdvanceNova ePM1 60% 592 490 525 8	ISO ePM1 60%		C	592	490	525	8	0,781
PF AdvanceNova ePM1 60% 592 287 525 8	ISO ePM1 60%		C	592	287	525	8	0,458
PF AdvanceNova ePM1 60% 490 592 525 7	ISO ePM1 60%			490	592	525	7	0,781
PF AdvanceNova ePM1 60% 490 490 525 7	ISO ePM1 60%			490	490	525	7	0,647
PF AdvanceNova ePM1 60% 287 892 525 4	ISO ePM1 60%		C	287	892	525	4	0,690
PF AdvanceNova ePM1 60% 287 592 525 4	ISO ePM1 60%		C	287	592	525	4	0,458
PF AdvanceNova ePM1 60% 287 490 525 4	ISO ePM1 60%			287	490	525	4	0,379
PF AdvanceNova ePM1 60% 287 287 525 4	ISO ePM1 60%		C	287	287	525	4	0,222
PF AdvanceNova ePM1 60% 592 592 650 6	ISO ePM1 60%	1498	D	592	592	650	6	0,944
PF AdvanceNova ePM1 60% 892 287 650 9	ISO ePM1 60%		D	892	287	650	9	0,690
PF AdvanceNova ePM1 60% 592 892 650 6	ISO ePM1 60%		D	592	892	650	6	1,422
PF AdvanceNova ePM1 60% 592 490 650 6	ISO ePM1 60%		D	592	490	650	6	0,781
PF AdvanceNova ePM1 60% 592 287 650 6	ISO ePM1 60%		D	592	287	650	6	0,458
PF AdvanceNova ePM1 60% 490 592 650 5	ISO ePM1 60%		D	490	592	650	5	0,781
PF AdvanceNova ePM1 60% 490 490 650 5	ISO ePM1 60%		D	490	490	650	5	0,647
PF AdvanceNova ePM1 60% 287 892 650 3	ISO ePM1 60%		D	287	892	650	3	0,690
PF AdvanceNova ePM1 60% 287 592 650 3	ISO ePM1 60%		D	287	592	650	3	0,458
PF AdvanceNova ePM1 60% 287 490 650 3	ISO ePM1 60%			287	490	650	3	0,379

Product name	Filter class	Energy kW/a	Energy class	Width	Height	Length	Bags	Airflow m3/s
PF AdvanceNova ePM1 60% 287 287 650 3	ISO ePM1 60%		D	287	287	650	3	0,222
PF AdvanceNova ePM1 60% 592 592 525 6	ISO ePM1 60%	1853	D	592	592	525	6	0,944
PF AdvanceNova ePM1 60% 892 287 525 9	ISO ePM1 60%		D	892	287	525	9	0,690
PF AdvanceNova ePM1 60% 592 892 525 6	ISO ePM1 60%		D	592	892	525	6	1,422
PF AdvanceNova ePM1 60% 592 490 525 6	ISO ePM1 60%		D	592	490	525	6	0,781
PF AdvanceNova ePM1 60% 592 287 525 6	ISO ePM1 60%		D	592	287	525	6	0,458
PF AdvanceNova ePM1 60% 490 592 525 5	ISO ePM1 60%		D	490	592	525	5	0,781
PF AdvanceNova ePM1 60% 490 490 525 5	ISO ePM1 60%		D	490	490	525	5	0,647
PF AdvanceNova ePM1 60% 287 892 525 3	ISO ePM1 60%		D	287	892	525	3	0,690
PF AdvanceNova ePM1 60% 287 592 525 3	ISO ePM1 60%		D	287	592	525	3	0,458
PF AdvanceNova ePM1 60% 287 490 525 3	ISO ePM1 60%			287	490	525	3	0,379
PF AdvanceNova ePM1 60% 287 287 525 3	ISO ePM1 60%		D	287	287	525	3	0,222
PF AdvanceNova ePM1 60% 592 592 600 8	ISO ePM1 60%	1315	C	592	592	600	8	0,944
PF AdvanceNova ePM1 60% 892 287 600 12	ISO ePM1 60%		C	892	287	600	12	0,690
PF AdvanceNova ePM1 60% 592 892 600 8	ISO ePM1 60%		C	592	892	600	8	1,422
PF AdvanceNova ePM1 60% 592 490 600 8	ISO ePM1 60%		C	592	490	600	8	0,781
PF AdvanceNova ePM1 60% 592 287 600 8	ISO ePM1 60%		C	592	287	600	8	0,458
PF AdvanceNova ePM1 60% 490 592 600 7	ISO ePM1 60%			490	592	600	7	0,781
PF AdvanceNova ePM1 60% 490 490 600 7	ISO ePM1 60%			490	490	600	7	0,647
PF AdvanceNova ePM1 60% 287 892 600 4	ISO ePM1 60%		C	287	892	600	4	0,690
PF AdvanceNova ePM1 60% 287 592 600 4	ISO ePM1 60%		C	287	592	600	4	0,458
PF AdvanceNova ePM1 60% 287 490 600 4	ISO ePM1 60%			287	490	600	4	0,379
PF AdvanceNova ePM1 60% 287 287 600 4	ISO ePM1 60%		C	287	287	600	4	0,222